Commissioner For Patents, Box PCT, United S	tates Patent and Trademark Office, Wash	ington, D.C. 20231, www.u	ispto.gov	
U.S. APPLICATION NUMBER NO.	FIRST NAMED APPLICANT	ATTY	ATTY, DOCKET NO.	
09/936,952	Sujoy Kumar Guha	RS-01420 INTERNATIONAL APPLICATION NO. PCT/IN00/00023		
	_			
		I.A. FILING DATE	PRIORITY DATE	
James Ray & Associates	_	03/16/2000		

James Ray & Associates 2640 Pitcairn Road Monroeville, PA 15146

Date Mailed: 11/05/2001

NOTIFICATION OF MISSING REQUIREMENTS UNDER 35 U.S.C. 371 IN THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as an Elected Office (37 CFR 1.495):

- U.S. Basic National Fees
- Indication of Small Entity Status
- Copy of IPE Report
- Copy of references cited in ISR
- Copy of the International Application
- Copy of the International Search Report
- Preliminary Amendments
- Request for Immediate Examination

The following items **MUST** be furnished within the period set forth below in order to complete the requirements for acceptance under 35 U.S.C. 371:

• Oath or declaration of the inventors, in compliance with 37 CFR 1.497(a) and (b), identifying the application by the International application number and international filing date.

ALL OF THE ITEMS SET FORTH ABOVE MUST BE SUBMITTED WITHIN TWO (2) MONTH FROM THE DATE OF THIS NOTICE OR BY 22 or 32 MONTHS (where 37 CFR 1.495 applies) FROM THE PRIORITY DATE FOR THE APPLICATION, WHICHEVER IS LATER. FAILURE TO PROPERLY RESPOND WILL RESULT IN ABANDONMENT.

The time period set above may be extended by filing a petition and fee for extension of time under the provisions of 37 CFR 1.136(a).

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)



U.S. APPLICATION NUMBER NO.	INTERNATIONAL APPLICATION NO.	ATTY. DOCKET NO.
00/036 052	PCT/INION/00023	PS-01420

09/936,952 PCT/

RS-01420